Operational Timelines		
		Operational Innovator
Estimated	Estimated	
Beginning	Completion	
Date	Date	Task
		on Requirements
Feb. 1	Apr. 1	Send Farm Unit from last year to current year Farm Unit
		Manager and obtain new Farm Unit information. Following is
		a summary of information needed:
		<ul> <li>Irrigated lands including acreage.</li> </ul>
		<ul> <li>Irrigation type (sprinkler/flood) for each parcel.</li> </ul>
		Crop (if flood irrigated).
		Ditch ownership.
		> Wells on property.
		Surface water credit to be leased.
Apr. 1	Apr. 30	Obtain County Assessor's Records containing following
•	1	information:
		➤ Parcel identification #'s.
		➤ Land ownership/addresses.
		Land value codes/acres.
Apr. 1	Apr. 30	Obtain following information from Ditch companies:
_		Individual/corporation Ditch share ownership.
		> Total Ditch shares.
Apr. 1	Apr. 30	Obtain following data for previous year from Division of Water
	-	Resources:
		Ditch diversion records.
		➤ All well structure #'s within Subdistrict.
		➤ Well locations.
		Well ownership of each well.
		Aquifer from which well withdraws water.
Oct. 1	Oct.15	Request Well Owners to submit well meter readings.
Oct. 16	Oct. 30	Subdistrict will collect well meter readings not submitted by
		owners. Well Owners may be assessed a fee per well for
		collection of well meter reading.
Nov. 1	Nov. 15	Obtain current year DWR preliminary diversion records for
		Ditch WDID's within Subdistrict.
	Dec. 1	Subdistrict personnel will calculate all fees for each Subdistrict

		<b>Operational Timelines</b>
Estimated Beginning	Estimated Completion	
Date	Date	Task
		irrigated parcel identified by a County Assessor's PIN.
	Annual Repla	
Mar. 1	Apr. 1	Obtain April 1st forecast of the NRCS for April through September flows of all forecasted streams in Division 3.
Mar. 1	Apr. 1	Obtain Division Engineer's April 1st estimate of the annual
		flow of the Rio Grande at the index gauging station near Del Norte.
Mar. 1	Apr. 1	Obtain Division Engineer's April 1st estimate of the annual flow of the Conejos River and its tributaries at the index gauging station near Mogote plus the April to October flows of the Los Pinos and San Antonio Rivers at the index gauging station near Ortiz.
Mar. 1	Apr. 1	Obtain total diversions by ditches diverting water into the Subdistrict for the prior water year.
Mar. 1	Apr. 1	Obtain groundwater levels in the Subdistrict (as collected by the Rio Grande Water Conservation District, the Subdistrict and the USGS during the previous 12 months).
Mar. 1	Apr. 1	Obtain the amount of annual recharge credit estimated during the Plan Year from the exercise of the decrees in Cases No. W-3979 (Rio Grande Canal), W-3980 (as amended) (San Luis Valley Irrigation District), 79CW91 (Rio Grande Water Users Association, 01CW20 (Rio Grande Water Users Association), 96CW45 (Prairie Ditch Company), 96CW46 (San Luis Valley Canal Company), and any decrees subsequently entered granting recharge credit for water diverted from the Rio Grande into the Subdistrict (collectively the "recharge decrees").
Mar. 1	Apr. 1	Obtain an estimate of total annual Closed Basin Project production for the Plan Year and the portion thereof allocated to the Rio Grande and/or the Subdistrict and available for replacement of injurious well depletions.
Jan. 1	Apr. 1	Obtain the amount and sources of replacement water available to the Subdistrict for the Plan Year including flow and storage water rights.
Mar. 1	Apr. 1	Develop a list of all active Subdistrict wells as defined by the

	1	Operational Timelines
		Operational American
Estimated	Estimated	
Beginning	Completion	
Date	Date	Task
		Plan of Water Management containing the well ID number,
		permit number, and/or decree number. The Subdistrict Well
		Database Appendix attached to the Plan of Water Management will be updated by April 1 of each year by the Subdistrict.
Mar. 1	Apr. 1	Develop a tabulation of the total groundwater withdrawals from
1,102. 1	1101.1	Subdistrict Wells during the prior Plan Year.
Mar. 1	Apr. 1	Develop a tabulation showing the location of all previously
		irrigated lands that have been fallowed as part of the Plan of
		Water Management through CREP or Subdistrict programs.
		The list of fallowed land within the Subdistrict will be updated
		to reflect any changes from the prior Plan Year.
Feb. 1	Apr. 1	Collect Farm Unit Data including the number of irrigated acres
		within the Subdistrict, cropping patterns, irrigation method,
		surface water source and amount (including ditch company and
		number of shares and where share is allocated), groundwater
		source and amount (including well ID number, permit number
		and/or decree number), and Surface Water Credit exchange,
		trade, lease or sale information.
Jan. 1	Apr. 15	All information collected in this section will be reported to the
		State Engineer and Division Engineer.
	Estimating Stream Depletions for Current Plan Year	
	Response functions derived from the current version of the Rio Grande	
		ort System Groundwater Model, as revised and updated (unless
		seded) will be used to calculate estimated stream depletions.
D 1 4		steps will be required to accomplish this task:
Feb. 1	Apr. 1	Quantification of Subdistrict Well Pumping:
		Estimate pumping by Subdistrict Wells based upon
		anticipated hydrologic conditions for the current Plan
		Year using historical data from well meter records or
		other reasonable methods.
		Estimate total groundwater consumption as:
		<ul> <li>Consumption for Sprinklers = Total Pumping x</li> </ul>
		0.83.
· · · · · · · · · · · · · · · · · · ·		<ul> <li>Consumption for Flood Irrigation = Total</li> </ul>

		Operational Timelines
Estimated Beginning	Estimated Completion	
Date	Date	Task
		Pumping x 0.60.  Consumption for other uses e.g. M&I = fact specific determination for each such user that contracts with the Subdistrict to provide well replacement.  These presumptive consumption factors may be revised by amendment to Appendix 1, and with the approval of the State Engineer.
Jan. 1	Apr. 1	Estimate recharge that offsets groundwater consumption based upon anticipated hydrologic conditions for the Plan Year using historical diversion records and terms of recharge decrees.
Mar. 1	Apr. 1	Estimate Net Groundwater Consumption by Subdistrict Wells during the Plan Year as the total estimated groundwater consumption from Subdistrict Well pumping minus estimated decreed recharge that offsets groundwater consumption.
Mar. 1	Apr. 1	Lag Net Groundwater Consumption (Depletions) to surface streams using Response Functions to determine stream depletions on a monthly basis.
Mar. 1	Apr. 1	Add to current Plan Year's calculated stream depletions, all lagged stream depletions from prior Plan Years' pumping under the Plan of Water Management that will result in stream depletions during the current Plan Year.
	Use of RGDS	S Groundwater Model to Derive Response Functions
Mar. 1	Apr. 1	Determination of stream depletions for purposes of deriving response functions by use of the RGDSS in the following fashion:  Run the RGDSS groundwater model with historical groundwater pumping and quantify stream/groundwater interaction by stream reach.  Run the RGDSS groundwater model simulating the quantity of groundwater pumping (consumption) equal to the annual recharge available pursuant to the recharge decrees, and determine stream/groundwater interaction by stream reach.

## APPENDIX 5 TO

## THE PLAN OF WATER MANAGEMENT FOR

		O
		Operational Timelines
Estimated	Estimated	
Beginning	Completion	
Date	Date	Task
		➤ The difference between these two runs (above) is the amount of stream depletions.
Mar. 1	Apr. 1	
iviai. i	Apr. 1	Derivation of Response Functions
		Repeat the process described in the section above (Use
		of RGDSS Groundwater Model to Derive Response
		Functions) for each year 1988 to present for which data
		is available and derive annual Subdistrict-wide
		Response Functions.
		Examine variability in Subdistrict-wide Response
		Functions and determine the variation in Response
		Functions for different hydrologic conditions.
		➤ If there is a material difference in Response Functions
		for different hydrologic conditions, then select Response
		Functions that will accurately estimate stream
		depletions for:
		Very dry hydrologic conditions.
		<ul> <li>Dry hydrologic conditions.</li> </ul>
		Average hydrologic conditions.
		Wet hydrologic conditions.
		After the 3 <sup>rd</sup> and 6 <sup>th</sup> and 10 <sup>th</sup> Plan Years, and every fifth
		Plan Years thereafter, rerun the RGDSS groundwater
		l <del>-</del>
		model using measured data to check continued
		reliability of selected Subdistrict-wide Response
		Functions, and substitute new Response Functions if
		warranted by the data. The new Response Functions
		will apply prospectively, and will be used to calculate
		all future stream depletions resulting from the
		Subdistrict Well pumping included under this Plan.
	1	d timelines to replace stream depletions
Mar. 1	Apr.1	The monthly depletions by stream reach calculated by the
		Response Functions shall be replaced in a manner that prevents
		injury, unless the owner of the injured vested water right has
		either waived any claim of injury, or agreed to accept
		compensation for the injury in a form other than water. As

Operational Timelines			
	Operational Timelines		
Estimated Beginning Date	Estimated Completion Date	Task  described below, replacement may also involve deliveries to Compact gages in order to reduce a Compact curtailment resulting in making water available to vested water rights in priority.	
Apr. 1	Nov. 30	Replacement to the Rio Grande and Conejos  During months when there is a compact curtailment on the Rio Grande or Conejos River at a rate of flow (in c.f.s.) equal to or greater than the rate of injurious stream depletions, then the following procedures shall be followed:  Direct flow replacement water made available by the Subdistrict, including its share of Closed Basin Project production, shall be credited against any then occurring injurious stream depletions.  The Subdistrict may provide water in storage for release by the Division Engineer. The Division Engineer may direct the release of the stored water on a daily basis, may release water early in the season in slug releases to enable the curtailment to be lowered for the season, or may elect to retain the water in storage and reduce the compact curtailment by an amount equal to the injurious stream depletions resulting from Subdistrict well pumping, and use the water in storage for subsequent compact delivery.  The Division Engineer shall recognize any overdelivery of replacement water in a given month as a Rio Grande Compact delivery in the month that it occurs and reduce the Compact curtailment in the following month or months in an amount equal to the accrued replacement credit of the Subdistrict.  Transit losses assessed by Division Engineer	

		Operational Timelines
Estimated	Estimated	
Beginning	Completion	
Date	Date	Task
		shall be based upon the best available data on
		actual transit losses.
		During any month or part of a month when there is no
		compact curtailment, or the rate or location of compact
		curtailment is less than the then occurring injurious
		stream depletions resulting from Subdistrict Well
		pumping, the Subdistrict will deliver replacement water
		to the injuriously affected water rights by delivery to the
		Rio Grande or Conejos River, at or above the location of
		the stream depletions, water necessary to replace the
		then-occurring injurious stream depletions.
Apr. 1	Nov. 30	Replacement to other streams
		> The monthly depletions by stream reach calculated by
		the Response Functions will be replaced in a manner
		that prevents injure, unless the owner of the injured
		vested water right has either waived any claim of injury,
		or agreed to accept compensation for the injury in a
		form other than water.
		mation to be submitted to the State and Division Engineers to
		the Subdistrict's ability to replace stream depletions during
	the Plan Year	T
Jan. 1	Apr. 1	Agreements between the Subdistrict and the Division Engineer
		to administer water that is available to replace stream
		depletions.
Jan. 1	Apr. 1	Agreements between the Subdistrict and the ditch and reservoir
		companies that will provide water and/or storage space to the
		Subdistrict.
Jan. 1	Apr. 1	Leases, deeds, loans, options, substitute supply plans, decrees,
		change of water rights, operational plans used to actually make
T 4		replacements, including estimated costs of activities.
Jan. 1	Apr. 1	Documents to prove that funds necessary to accomplish the
		above are available.
		ed to the State Engineer to demonstrate the annual
·	replacement v	vill occur and that it will prevent injurious stream depletions.

		Operational Timelines
Estimated Beginning Date	Estimated Completion Date	Task
Apr. 1	Nov. 30	The Subdistrict will cooperate with the Division Engineer and the Ditch and Reservoir companies to collect:  Diversion and stream flow records, Water Commissioner Daily Sheets, ditch and reservoir daily accounting sheets, Rio Grande Compact records showing deliveries and curtailment (10-day Reports) and any other records necessary to account for when and where the replacement water was released to the affected stream.
Jan. 1	Dec. 31	The Subdistrict shall tabulate the data and submit it to the Division Engineer monthly during the Plan Year.
		ng the Hydraulic Divide
Mar. 1	Apr. 1	As part of the annual replacement plan the Subdistrict will submit to the Division Engineer a list of wells that it monitored during the prior Plan Year for purposes of determining the existence and location of the Hydraulic Divide. The list will identify the monitoring wells by Well ID Number and location. The Subdistrict will also submit measurement data for each such well from the past Plan Year.
Mar. 1	Apr. 1	The consulting engineer for the Subdistrict will submit a summary report analyzing the data and describing the current condition and location of the Hydraulic Divide.
	Data Regardi	ng Groundwater Storage
Mar. 1	Apr. 1	As part of the annual replacement plan the Subdistrict will submit to the Division Engineer the tabulation of the five-year running average of Unconfined Aquifer storage levels. The tabulation will be based on Davis Engineering Service's Unconfined Aquifer Storage Study and will incorporate data from the prior five Plan Years.
		Fallowed Lands Information
Mar. 1	Apr. 1	As part of its annual replacement plan the Subdistrict will submit a copy of its required annual reporting to the USDA-FSA that includes the number of acres enrolled in CREP, the amount of money allocated to producers and the amount of

		Operational Timelines
Estimated	Estimated	
Beginning	Completion	
Date	Date	Task
3.6		water retired for those lands enrolled in CREP.
Mar. 1	Apr. 1	As part of its annual replacement plan the Subdistrict will provide a tabulation of total acreage within the Subdistrict boundaries that is participating in any fallowing program and a man showing the leastion of all fallowed lands
	Voor End Do	map showing the location of all fallowed lands.  view of Plan Year Operation
Nov. 1	Mar 1	After the end of the irrigation season, and prior to the submission of the next year's annual replacement plan, the Subdistrict will recalculate the stream depletions caused by Subdistrict well pumping in the Plan Year using actual water use data and the appropriate Response Function to determine the adequacy of replacement operations during the Plan Year. The District will submit its report to the Division Engineer in a form approved by the Division Engineer. If the amount of replacement water provided by the Subdistrict was not sufficient to replace the injurious stream depletions during the Plan Year, then prior to the commencement of the next irrigation season the Subdistrict will:  Deliver to the Rio Grande and the Conejos River the amount of any unreplaced injurious stream depletions from the prior Plan Year, and the Division Engineer will administer that water to the Stateline as a Compact delivery for the respective system.  For surface water rights on streams that are not subject to curtailment under the standards of Alamosa-La Jara Water Users v. Gould, any unreplaced injurious stream depletions from the prior Plan Year will be added to the replacement requirements for the current next Plan Year.
	Rudget and A	goognting Plan
Jun. 1	Aug. 1	Counting Plan On or hefore August 1 of each Plan Veer the Board of
Juli. i	Aug. I	On or before August 1 of each Plan Year, the Board of Managers of the Subdistrict shall prepare and make available to any interest party a preliminary draft of a proposed budget with

# APPENDIX 5 TO THE PLAN OF WATER MANAGEMENT FOR SPECIAL IMPROVEMENT DISTRICT NO. 1 OF THE RIO GRANDE WATER CONSERVATION DISTRICT

Operational Timelines		
Estimated Beginning Date	Estimated Completion Date	Task
		all available information describing or justifying the expenditures and revenues contemplated and the specific fees or assessments or other charges for operation of the Subdistrict for the next year.
Aug. 1	Sept. 15	On or before September 15 of each Plan Year, the Board of Managers of the Subdistrict will adopt a detailed final budget, utilizing the previously prepared preliminary budget, concerning the implementation of the Plan during the next calendar year. This budget will be presented to, and included, in the Rio Grande Water Conservation District's annual budget that is submitted for approval by its Board of Directors in October of each year.